



Product Service

# CERTIFICATE

No. Z1 16 03 95106 001

**Holder of Certificate:** **Rodigas S.r.l.**  
Via Giacomelli 10  
35010 Limena (PD)  
ITALY



**Certification Mark:**



**Product:** **Monitor suspension arms  
(Wall brackets for conditioning units)**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.

**Test report no.:** MEC16039.00

**Valid until:** 2021-03-06



**Date,** 2016-03-11

  
(Gianpaolo Mensa)

Page 1 of 4



Product Service

**CERTIFICATE**

No. Z1 16 03 95106 001

**Model(s):**

MS 120 XYY, MS 114 XYY, MS 117 XYY, MS 118 XYY  
(Folding supports); MS 230 XYY, MS 242 XYY, MS 243 XYY,  
MS 244 XYY, MS 245 XYY, MS 246 XYY, MS 247 XYY,  
MS 252 XYY, MS 253 XYY, MS 254 XYY, MS 255 XYY,  
MS 256 XYY, MS 257 XYY, MS 220 XYY, MS 223 XYY,  
MS 221 XYY, MS 222 XYY, MS 207 XYY, MS 208 XYY,  
MS 209 XYY, MS 219 XYY (Sliding supports);  
MS 104, MS 105, MS 106, MS 115, MS 116, MS 104 101,  
MS 104 301, MS 105 102, MS 105 302, MS 106 110,  
MS 106 303, MS 116 107, MS 116 304 (Welded supports)

Where:

X: wall bracket typology (1 - assembled or 2 - disassembled)

YY: accessory inside the packaging, code from 00 to 21  
(vibration dampers, fixing kit etc.)**Parameters:**

Dimensions [mm]: See attachment

Capacity for pair [kg]: See attachment

Materials:

Zinc plated steel DX51

Zinc plated steel X340

Pickled steel sheet DD11

Pickled steel sheet S235

**Tested  
according to:**

EK5/AK7 13-01:2013

**Production  
Facility(ies):**

95106



Product Service



Product Service

**Attachment to  
CERTIFICATE**

**No. Z1 16 03 95106 001**

Model	Dimensions [mm]	Capacity for pair [kg]	
		Domestic use	Public use
<b>Folding supports</b>			
MS 120 XYY	375x420	140	84
MS 114 XYY	375x420	140	84
MS 117 XYY	375x465	140	84
MS 118 XYY	375x550	140	84
<b>Slidings supports</b>			
MS 230 XYY	375x420	120	72
MS 242 XYY	375x465	140	84
MS 243 XYY	375x465	140	84
MS 244 XYY	375x420	140	84
MS 245 XYY	375x420	140	84
MS 246 XYY	375x550	140	84
MS 247 XYY	375x550	140	84
MS 252 XYY	375x465	140	84
MS 253 XYY	375x465	140	84
MS 254 XYY	375x420	140	84
MS 255 XYY	375x420	140	84
MS 256 XYY	375x550	140	84
MS 257 XYY	375x550	140	84
MS 220 XYY	465x800	140	84
MS 223 XYY	550x1000	140	84
MS 221 XYY	545x800	140	84
MS 222 XYY	465x1000	140	84
MS 207 XYY	465x800	140	84
MS 208 XYY	465x1000	140	84
MS 209 XYY	550x800	140	84
MS 219 XYY	550x1000	140	84
<p>X : wall bracket typology (1 - assembled or 2 - disassembled)                      YY : accessory inside the packaging, code from 00 to 21 (vibration dampers, fixing kit ecc...)</p>			

Date, 2016-03-11

Page 3 of 4



Product Service



Product Service

Attachment to  
**CERTIFICATE**

No. Z1 16 03 95106 001

Model	Dimensions [mm]	Capacity for pair [kg]	
		Domestic use	Public use
<b>Welded supports</b>			
MS 104	315x320	140	84
MS 115	315x375	140	84
MS 105	315x420	140	84
MS 106	420x520	140	84
MS 116	400x620	140	84
MS 104 101	315x320	140	84
MS 104 301	315x320	140	84
MS 105 102	315x420	140	84
MS 105 302	315x420	140	84
MS 106 110	420x520	140	84
MS 106 303	420x520	140	84
MS 116 107	400x620	160	96
MS 116 304	400x620	160	96



Product Service

Date, 2016-03-11

Page 4 of 4